

Guangzhou Longhui Trade Co., Ltd.

Room 408 of A Building, Qiaoying Garden
510612 Guangzhou City
Tianhe District,
China

TEL: (020)37398489 FAX: 020-37398912

Pluronic PE 6200

Chemical Nature:

Pluronic PE 6200 is a 100% active, low-foaming, nonionic surfactant. It is block copolymers in which the central polypropylene glycol group is flanked by two polyethylene glycol groups.

Typical properties:

Physical form(25 °C)	Liquid
pH (5% in water)	7
Cloud point (1% in water) [° C]	33

Applications:

Pluronic PE 6200 is an effective, low-foaming wetting agent. It is mainly used in mechanical cleaning processes. It can be employed in rinse aids to allow water to off glass and crockery more easily, and to improve their gloss. Its high wetting power is particularly useful in phosphating baths.

Pluronic PE 6200 can be used to emulsify monomers such as vinyl and acrylic monomers in polymerization processes, and it can also be used to break crude-oil emulsions.

Storage:

Containers should be stored tightly sealed in a dry place. 210 kg/ drum.

Shelf Life:

2 years

The information submitted in this publication is based on Guangzhou Longhui Trade Co. Ltd's current knowledge and experience. In view of the many factors that may affect processing and application, these data do not relieve processors of the responsibility of carrying their own tests and experiments; neither do they imply any legally binding assurance of certain properties or of suitability for a specific purpose. It is the responsibility of those to whom we supply our products to ensure that any proprietary rights and existing laws and legislation are observed.